Intermec

Installation Guide

CV60 Security Brackets

Packing List

Check to make sure the items shown on the next page were included in your shipment. If any item appears to be missing or damaged, contact your Intermec representative.

Introduction

The keyboard bracket secures the PS/2 cable connector against accidental disconnection.

The switch cover bracket guards against inadvertent resetting of the CV60 Vehicle Mount Computer while in use.

Mounting Brackets



Keyboard

Attach the PS/2 keyboard connector to the bottom of the CV60 Computer.

Align the bracket (P/N: 654-571-001) so that the connector is held securely and tighten the bracket down with the screw (P/N: 800-508-002) supplied.

Install the cable tie around the bracket and keyboard connector and tighten it securely.

Switch Cover

Attach the power connector to the power supply plug located at the bottom of the CV60 Computer. Tighten the connector.

Align the bracket (P/N: 754-764-001) so that the connector is held securely and tighten the bracket down with the screw (P/N: 800-508-008) supplied.

Hardware List - Brackets

Part Number	Quantity	Description
203-786-001		Security Kit
754-764-001	1	Power Bracket, PRSD
800-508-008	1	Screw, 4-40 x 5/8 nylon patch
654-571-001	1	Bracket, keyboard security
800-508-002	1	Screw, 4-4 x 1/4, nylon patch
808-002-000	1	Cable tie, small

Note: The CV60 switch can be turned ON or OFF by inserting a small tool through the access hole in the switch cover bracket.

Worldwide Headquarters
6001 36th Avenue West
Everett, Washington 98203
U.S.A.

tel 425.348.2600

fax 425.355.9551

www.intermec.com

CV60 Security Brackets Installation Guide

P/N 931-019-001