

The Intermec logo, featuring the word "Intermec" in a bold, blue, sans-serif font with a stylized blue arrow pointing to the right.

# Installation Guide



**CT60  
Desk  
Dock**

## Intermec Technologies Corporation

Corporate Headquarters

6001 36th Ave. W.  
Everett, WA 98203  
U.S.A.

Technical Communications  
Department  
550 Second Street SE  
Cedar Rapids, IA 52401  
U.S.A.

[www.intermec.com](http://www.intermec.com)

The information contained herein is proprietary and is provided solely for the purpose of allowing customers to operate and service Intermec-manufactured equipment and is not to be released, reproduced, or used for any other purpose without written permission of Intermec.

Information and specifications contained in this document are subject to change without prior notice and do not represent a commitment on the part of Intermec Technologies Corporation.

© 2004 by Intermec Technologies Corporation. All rights reserved.

The word Intermec, the Intermec logo, Norand, ArciTech, CrossBar, Data Collection Browser, dcBrowser, Duratherm, EasyCoder, EasyLAN, Enterprise Wireless LAN, EZBuilder, Fingerprint, i-gistics, INCA (under license), InterDriver, Intermec Printer Network Manager, IRL, JANUS, LabelShop, Mobile Framework, MobileLAN, Nor\*Ware, Pen\*Key, Precision Print, PrintSet, RoutePower, TE 2000, Trakker Antares, UAP, Universal Access Point, and Virtual Wedge are either trademarks or registered trademarks of Intermec Technologies Corporation.

Throughout this manual, trademarked names may be used. Rather than put a trademark (<sup>™</sup> or ®) symbol in every occurrence of a trademarked name, we state that we are using the names only in an editorial fashion, and to the benefit of the trademark owner, with no intention of infringement.

There are U.S. and foreign patents pending.

Microsoft, Windows, Windows XP and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries.


# CT60 Desk Dock



Note: CT60 and keyboard are ordered separately.



**Note:** Check to make sure the items were included in your shipment. If any item appears to be missing or damaged, contact your Intermec Representative.



Front View




Rear View

# Specifications

- Provides connectivity to Ethernet network adapter fax/modem adapter, fax/modem, CD-ROM, floppy disk drive and other data storage devices
- Standard connectivity using full-size connections (1 EPP parallel port, 2 serial, 1 USB, 1 SVGA video, 1 PS/2 keyboard and 1 power connector)
- Compact design (6 1/2" high x 9" wide x 8 3/4" base)
- Heavy gauge extruded aluminum construction (not formed sheet metal)
- No adjustments or moving parts for highest reliability, angled for easy viewing in nearly all conditions
- Recharges/powers CT60 with universal AC power supply
- Built-in shielding and noise reduction circuitry
- Padded "feet" to prevent slipping or damage to desk surface
- EMC Directive 89/336/EEC - Low Voltage Directive 73/23/EEC - UL - TUV - GS & CB

## Desk Dock Connections



**EPP Parallel Port:** Use this port to connect the desk dock to enhanced parallel port devices such as printers or storage devices.

**SVGA Video Out:** This connector provides video signal out from the CT60 (when enabled) for an external monitor.

**COM1:** Use this port to connect the desk dock to other RS-232 devices, such as printers, scales or scanners.

**COM2:** Use this port to connect the desk dock to other RS-232 devices, such as printers, scales or scanners.

**COM3:** Use this port to connect the desk dock to other RS-232 devices, such as printers, scales or scanners.

**PS/2 Keyboard:** Use this connector to attach a keyboard or PC-PS/2 keyboard to the desk dock.

**Power Connector:** This connector provides power to the desk dock and the CT60 computer via the AC power supply.

**USB:** Use this connector to attach USB serial peripheral devices such as keyboards, mice and hubs. The CT60 supports USB 1.1.

**Ethernet:** Use this connector for connection to a 10baseT/100baseT Ethernet LAN.







**Corporate Headquarters**  
6001 36th Avenue West  
Everett, Washington 98203  
U.S.A

**tel** 425.348.2600

**fax** 425.355.9551

[www.intermec.com](http://www.intermec.com)

CT60 Desk Dock Installation Guide August 2004



\*962-054-109A\* Rev A